

HAVALI MİBZER (DİSKLİ)

PNEUMATIC SEEDER (DISC SHARED)

GENEL ÖZELLİKLER

Pnomatik ekim makinesi sıra üzerine ekim yapılması gereken her türlü tohumu (pancar, mısır, ayçiçeği, pamuk, soğan, kavun, karpuz, yer fıstığı vb) hassas bir şekilde sıra arası ve istenen ölçüde sıra üstü mesafesinde ekilmesini sağlayan bir makinedir.

Ekici ünitelerin diskli tip olması sayesinde anızlı tarlalarda ekimi kolayca yapılabilmesini sağlar. Diskli pnomatik mibzerlerin ünite önlerine parçalayıcı bağlayarak işlenmiş yada yarı işlenmiş tarlalarda da çalışması sağlanmıştır.

Pnomatik ekim makinesi 4'lü, 5'li, 6'lı ve 8'li olarak imal edilmektedir. isteğe bağlı gübre teşkilatı makineye plastik olarak takılabilir. Gübre sandıkları " V " şeklinde ve elekli olup ekim sonrası kolay temizleme için gübre boşaltma mevcuttur.

Pnomatik ekim makinasında bulunan hareket tekerlerinden aldığı hareketi, sıra üstü mesafesini kolay bir şekilde ayarlama imkanı sağlayan şanzımandan ekim ünitelerine şaft yardımıyla iletiltiğinden hassas bir ekim sağlar.

Bu özellikleri sayesinde her türlü toprak şartlarında ekim yapabilme ve eşit derinliğe tohum ve gübreyi atma imkanı sağlar.

GENERAL SPECIFICATIONS

Pneumatic seeder is a machine that allows row spacing and over row sowing of all kinds of seeds (beet, corn, sunflower, cotton, onion, sweet melon, watermelon, groundnut etc) which need to be sowed over row, with the desired quantity sensitively.

Since the seeder units are disc type, planting can be performed easily on stubbly fields. Pneumatic seeders with disc can also be operated on fully or semi cultivated fields.

Pneumatic seeder is produced as 4, 5, 6 and 8 units. Upon request, fertilizer unit can be attached on the machine as plastic. Fertilizer tanks are in "V" shape, have sieves and fertilizer discharge levers for easy cleaning after sowing.

Pneumatic seeder provides a sensitive sowing since it transfers the motion activity generated by the wheels, to the seeder units with the help of shaft allowing easy adjustment of over row distance.

Thanks to these specifications, it allows sowing on all kinds of soil conditions and dropping fertilizer and seed into the equal depth.





HVMD


MODELLER • MODELS



HVMD



HVMD-K



HVMD-TW



HVMD-T

