

COMPACT MOTOCULTIVATOR

AMC-600M

BRAND NEW! **ASIA** LAUNCHED THE 2ND GENERATION!

**Compact & Light!
Easy & Fast!
Versatile & Powerful!**



NEW TECHNOLOGY! NEW PATENT!


TYPE		AMC-600M	TYPE		AMC-600M	
Dimension	Length (mm)	1560	Main Clutch(Drive) Type	Belt Tensioning		
	Width (mm)	620	Regular Tyre	3.50 - 7 2PR		
	Height (mm)	875~1100	Gear Shift	F 2 / R 2		
	Net Weight (kg)	124 (Included Rotary)	Rotary Clutch Type	Dog Type		
Engine	Model	GB181LN	Handle Moving Levels	Up&Down 5 / Left&Right 16		
	Type	Air cooled 4 Cycle OHV Single Cylinder Gasoline	PTO RPM	845		
	Discharge (cc)	181	Rotary	Gear Shift	4	
	Rated output (kW)	3.9 (1800rpm)		RPM	L1 245, L2 515 H1 332, H2 700	
	Fuel Tank Size (L)	3.6		Working Width(mm)	500	
	Fuel	Gasoline		Blades Diameter(mm)	Φ 330	
	Oil	SAE 10W-30, SAE 20W-40		No. of Blades	Left 8, Right 8	
	Ignition	Electric		Working Type	Center Drive Type	
	Starting	Recoil Starting (Miracle start)				

The above specifications are subject to change without notice for quality and performance improvement.

ASIA COMPACT, EASY & QUICK

The 2nd Generation

AMC-600M



1 EASY Starting Less stress, Low torque




2 New Design of Side Belt Cover

Combination of exterior design and functional design


- Utility Model registration
- Korean Design registration

3 'Quick Hitch' System




Anyone can easily replace the working machine


4 Narrow type Side Clutch



Small Exclusive Power Tiller
- No Side Clutch



Mid/Large sized Multi Cultivator
- Dog Clutch



NEW Compact & Multi Cultivator
-Narrow type Side Clutch

5 Automatic Link Seating System

- Quick Hitch Required / Anti-reverse load protection, Plow-shaped uncultivated field removal system




- Quick assembly without any tools

6 Compact

Easy load on the SUV and Pick-up truck



NEW TECHNOLOGY CERTIFICATION ASIA MOTOCULTIVATOR



New technology agricultural machinery designation



Utility model registration certificate
Belt cover for small cultivator



Design registration certificate
Belt cover for cultivator



Patent Application
Uncultivated land removal system



Patent Application
Uncultivated land removal system



Agricultural Machinery New Technology 2019-0009

This product is a new technology solvent product confirmed by the head of the Rural Development Administration in accordance with Article 7 Paragraph 1 of the 「Agricultural Mechanization Promotion Act」, and Article 4 Paragraph 1 of the Enforcement Decree of the same Act.

- In accordance with Article 7, Section 2 of the Act, local governments may preferentially purchase
- Included in government support agricultural machinery
- Farmers can support up to 100% of the government loan support limit when purchasing products. Financial support for purchasing raw materials for production and stockpiling support for companies (Korea Domestic)



Rotary (Cultivation, Leveling) SCR-500



Ditching Rotor(scattering) SDR-200N / 250 / 300
Distance of scattering Max 2.8m(one side)



Ditching Rotor (Earthing up) SDR-200N / 250 / 300



Former and Ridger (Forming) AFR-250



























Former and Ridger (Ridging) AFR-250



Vinyl Mulcher ASM-120/R/Rc

ATTCHMENTS

With 24+ of Attachment, over 40 works are available.

<p>Cultivator/Weeder RT-60</p>  <ul style="list-style-type: none"> • Width : 60cm • Depth : 5~15cm <p>» Rotary / Cultivator / Weeder, Leveling, Weeding / Surface application / Barley Seeding</p> 	<p>Trencher DR-25/30(S)</p>  <ul style="list-style-type: none"> • Width : 25,30,48cm • Depth : 5~20(Max. 40) cm <p>» Deep tillage trenching, sowing barley » Molding, earthing up, drainage » Spoon shaped blade</p> 	<p>Ridger RD-3</p>  <ul style="list-style-type: none"> • Width : 25~60cm • Depth : 15~20cm <p>» Ridger For narrow furrows » Weeding, ridging and ditching creation</p> 	<p>Plow AP-25</p>  <ul style="list-style-type: none"> • Width : 27cm • Depth : 12~15cm <p>» Deep tillage for in/outside of farmland / green house.</p> 
<p>Former & Mulcher FM-120</p>  <ul style="list-style-type: none"> • Vinyl Width : 75~120cm • Depth : 21~28cm <p>» Ridging and Vinyl coating for various crops</p> 	<p>Former AF-300</p>  <ul style="list-style-type: none"> • Width : 45~70cm • Depth : 21~28cm <p>» For pepper, garlic, tobacco, sesame, Watermelon, melon, cucumber, cabbage, corn, tomato and onion</p> 	<p>Vinyl Mulcher AM-180</p>  <ul style="list-style-type: none"> • Vinyl Width : 75~120cm <p>» Ridging and Vinyl coating for rounded, Squared and flat ridges.</p> 	<p>Vinyl Mulcher AM-180R</p>  <ul style="list-style-type: none"> • Vinyl Width : 75~120cm <p>» Ridging and Vinyl coating for various crops</p> 
<p>Deep Tillage Rotary MR-1200</p>  <ul style="list-style-type: none"> • Width : 120cm • Height : 15~30cm <p>» Cutting stubbles after harvest » Soil preparation after harvest</p> 	<p>Soil Coverer SR-1500</p>  <ul style="list-style-type: none"> • Width : 150cm • Depth : 40~45cm <p>» Soil covering after trenching and adding compost » Weeding and earthmoving.</p> 	<p>Vibrational Soil Coverer VR-550</p>  <ul style="list-style-type: none"> • Width : 82~88cm • Height : Max. 55cm <p>» For floricultural post, ginseng field and green house. » Tramping ridges for strawberry farm</p> 	<p>Hammer Rotor AHR-650</p>  <ul style="list-style-type: none"> • Width : 65cm • Height : 2~8cm <p>» Weeding in orchard farm » Crushing runners of pepper, tobacco, Melon and watermelon.</p> 

A GOOD PARTNER OF THE LAND, **ASIA** ASIA TECHNOLOGY CO.,LTD.



ASIA 3 BIG Principle



Customer First Principle

For half a century with farmers! ASIA knows value of your sweat.



Technology First Principle

ASIA manufactures agricultural machines essential for our field.



Scientific Agriculture First Principle

ASIA will take care of scientification and elimination of labor in your farm.



600



880

AMC SERIES



1000



900

SPEED SPRAYER



433CG2



ACS-1000

RIDE-ON CULTIVATOR



CFM-2000



Made in Korea

ASIA 아세아텍
ASIA TECHNOLOGY CO.,LTD.

- 11, Biseul-Ro 96-Gil, Yuga-Eup, Dalseong-Gun
Daegu, Republic of Korea
- TEL : +82-53-580-7727 □ FAX : +82-53-580-7702
- E-mail : trade@asiakor.com
- <http://www.global.asiakor.com>

